



康王漆
KANGWANG

◆ FLOORING —

环氧彩砂自流平 地坪方案

Epoxy Colored Sand Self-Leveling Flooring Solution

2026年



内容导航

Content navigation

01

产品实力 Product Strength

环氧彩砂自流平参数与效果

02

施工流程 Construction Process

标准化交付能力

03

质量背书 Quality Assurance

证书与工厂实力

04

定制服务 Customization Service

性能与颜色定制

◆ CHAPTER —

01

产品实力

Product strength

专业品质，值得信赖

Professional quality you can trust

kang wang lacquer

环氧彩砂自流平介绍 Introduction of epoxy color sand self-leveling product

以核心产品参数与成分构成建立专业信任

双组分体系确保性能稳定, A组分+B组分=8:1 精准配比构建可靠品质

The two-component system ensures stable performance, A component + B component = 8: 1 precise proportion to build reliable quality

产品参数 Product parameters

2 项

包装规格 Packaging specifications

27公斤/桶, 27kg per bucket



配比比例 Proportion ratio

主材A组分: 固化剂B组分=8:1, Mix ratio 8:1

Main material A: curing agent B=8:1

环氧A: 固化B

主要成分 Main ingredients

4 项

甲组分 (A组分)

它由环氧树脂与彩色石英砂等骨料混合而成

It is composed of epoxy resin mixed with aggregates such as colored quartz sand.

乙组分 (B组分)

胺类固化剂, Amine-based hardener

工业级增强 Industrial-grade enhancement

添加石英粉、耐磨骨料提升机械强度

Quartz powder, wear-resistant aggregate to enhance strength


环保选择 Eco-friendly choice

无溶剂型更环保, 适用密闭空间

Solvent-free is more environmentally friendly and suitable for closed environments.

定制性能和颜色

Customize performance and color



1-Customizable Performance

Flexible combinations of wear- resistance grade, anti- static, anti- slip and other properties

2-Customizable Colors

Standard color charts + exclusive color matching




3-Optional Surface Finishes

Matte, gloss and textured finishes for diverse style requirements

4-Small- batch Trial Production

Mass production after effect confirmation

Case sharing



外观效果与适用范围 Appearance effect and scope of application

外观效果 Appearance effect

镜面平整 The mirror surface is flat.

漆膜表面镜面平整、无缝光滑
The lacquer film is smooth and seamless.

光泽度可选 Gloss level is optional

哑光、半光、高光
Matte, high gloss

外观效果

颜色定制 Color customization

以纯色为主，可定制彩色
Customizable in various colors

洁净度高 High purity

易擦拭打理
The floor is easy to clean.

适用范围 scope of application

电子车间

Electronic workshop

制药GMP车间

Pharmaceutical GMP workshop

食品加工厂

Food processing plant

车库坡道

Garage

医院手术室

Hospital

自建房

Self-built house

写字楼机房

office building



规模实力数据 Scale and strength data

10000 +

累计服务项目

Completed projects

10000 + m²


服务面积

Floor area installed

多领域

覆盖行业

Industries covered



Self-built house



Hospital



Large shopping mall



Large factory

◆ CHAPTER —

02

施工流程

Construction process


标准施工，品质保障

Standardized construction, quality assured

kang wang lacquer

施工前期准备 Pre-construction preparation

工具准备 tool  Get ready



Notched
Trowel



Air- release
spiked roller

材料准备 Preparation of
materials



First, pour the proportioned curing agent (Component B) into the epoxy color- sand (Component A).



Afterwards, stir thoroughly using an electric power mixer

 **NOTE:** Mixed epoxy color- sand self- leveling must be used within 30 minutes, otherwise it will solidify. 搅拌均匀, 需在30分钟内用完

标准化施工流程 Standardized construction process

步骤一 基层处理

Surface preparation

打磨、清洁、修补裂缝，确保基面平整干燥 Grind, clean and repair cracks to ensure the substrate is flat and dry

步骤二 底涂施工

Primer coating

增强附着力，封闭基面 Improve adhesion and seal the substrate

步骤三 中涂批刮

Mid-coat application

找平并提升抗压、耐磨性能 Level the surface and enhance compression and wear resistance

步骤四 面涂施工

Top-coat application

形成美观、耐磨、易清洁表面 Form an aesthetic, wear-resistant and easy-to-clean surface

步骤五 养护与检测

Curing & inspection

固化后检测平整度、附着力与硬度 Test flatness, adhesion and hardness after curing.

具体施工流程，要了解实际地面情况而定

The specific construction process depends on the actual ground conditions, and the construction process will be different for different types of ground.

◆ CHAPTER —

03

质量背书

Certificate of quality

实力见证，品质承诺

Strength proven, quality promised

kang wang lacquer

权威质量认证 Authoritative quality certification



品质认证

质量管理体系认证

Quality management system certification

环境管理体系认证

Environmental management system certification

权威机构检测

符合国家与行业标准 Compliant with national and industry standards

完整检测报告

可随项目交付 Delivered with each project

自有工厂实力 Self-owned factory strength



匠心制造 · 硬核实力

Exquisite Craftsmanship · Solid Strength

基地

Base

现代化生产基地 · 产能稳定保障工期

Modern- day production base, stable capacity to guarantee project schedules

产线

Production Line

自动化生产线 · 确保产品一致性

Automated production lines to ensure product consistency

质检

Quality Inspection

严苛质检流程 · 全流程把控

Rigorous quality- control procedures for full- process oversight

供应

Supply

大批量订单 · 供应能力可靠

Reliable supply capacity for large- volume orders



康王漆[®]
KANGWANG

• ENDING —

专业品质，值得信赖

Professional Quality You Can Trust

品质铸就信任，专业成就未来

Quality builds trust, professionalism creates the future

kang wang lacquer

